



LAUREOLA INDUSTRIES



# Wire Rope & Fittings

LAUREOLA INDUSTRIES®

PHONE: +1 – 877 – 335 – 7779 (Toll Free)


+1 – 302 – 526 – 7002 (USA)

Email: [sales@laureolaindustries.com](mailto:sales@laureolaindustries.com)

# Aircraft Cable




## GALVANIZED AIRCRAFT CABLE



7x7

Size	Style Number	Construction	Weight/1000 ft (LBS)	Breaking Strength (LBS)
1/16"	116-GAL-77	7x7	7	480
3/32"	332-GAL-77	7x7	16	920
1/8"	118-GAL-77	7x7	28	1700
3/16"	316-GAL-77	7x7	62	3700
3/32"	332-GAL-719	7x19	18	1050
1/8"	118-GAL-719	7x19	29	2000
3/16"	316-GAL-719	7x19	65	4200

Reel available in stock: 100', 250', 500', 1000', 1500', 2500' and 5000'




7x19

## STAINLESS STEEL AIRCRAFT CABLE

## GRADE 307

Size	Style Number	Construction	Weight/1000 ft (LBS)	Breaking Strength (LBS)
1/16"	116-SS304	7x7	7.5	480
3/32"	332-SS304-77	7x7	16	920
1/8"	118-SS304-77	7x7	28	1700
3/32"	332-SS304-719	7x19	18	1050
1/8"	118-SS304-719	7x19	29	2000
3/16"	118-SS304-719	7x19	65	4200

Reel available in stock: 100', 250', 500', 1000', 1500', 2500' and 5000'  
Also available in Grade 316




7x7

## VINYL COATED GALVANIZED AIRCRAFT CABLE

Size	Style Number	Construction	Weight/1000 ft (LBS)	Breaking Strength (LBS)
3/64" - 1/16"	364-VCGAL-116	7x7	7	270
1/16" - 3/32"	116-VCGAL-332	7x7	10	480
3/32" - 1/8"	332-VCGAL-118	7x7	18.5	920
1/8" - 3/16"	118-VCGAL-316	7x7	35.2	1700

Reel available in stock: 100', 250', 500', 1000' and 5000'  
Also available in Stainless steel



7x19

**Note: Breaking Strength ratings are for comparison purpose only. Actual operating loads may vary, but should not exceed the recommended design factor of 20% of the product breaking strength.**



ALUMINUM OR ZINC  
PLATED COPPER

## SWAGE SLEEVES

	Aluminium		Copper	
Size	Style Number	Weight/100 pcs (LBS)	Style Number	Weight/100 pcs (LBS)
1/16"	061-ALSL-100	0.25	061-CUSL-100	0.28
3/32"	062-ALSL-100	0.33	062-CUSL-100	0.65
1/8"	063-ALSL-100	0.66	063-CUSL-100	1.65
3/16"	064-ALSL-100	1.55	064-CUSL-100	5.35

Packaging: 100 pcs or Bulk 1000 pcs per carton

When properly machine swaged, Laureola industries™ duplex sleeves hold 100% of the wire rope rated strength (90% for hand-swaged).



MALLEABLE

## MALLEABLE WIRE ROPE CLIP

Size	Style Number	Minimum Clips Required	Weight/100 PCS (LBS)
1/16"	171-WRCM-100	3	2.25
3/32"	172-WRCM-100	3	3.60
1/8"	173-WRCM-100	3	4.25
3/16"	174-WRCM-100	3	7.60

Packaging: 100 pcs or Bulk 1000 pcs per carton



STAINLESS STEEL  
WIRE ROPE CLIP

## STAINLESS STEEL WIRE ROPE CLIP

GRADE 304

Size	Style Number	Minimum Clips Required	Weight/PC (LBS)
1/16"	191-WRCSS-100	3	0.02
3/32"	192-WRCSS-100	3	0.03
1/8"	193-WRCSS-100	3	0.04
3/16"	194-WRCSS-100	3	0.08

To Comply with manufacture's specifications the correct number of clips must be installed correctly and tighten with correct torque. The correct installation technique is shown below.



## STAINLESS STEEL THIMBLES

GRADE 304



STAINLESS STEEL THIMBLES

Size	Style Number	PCS/Pack	Weight/PC (LBS)
1/16"	211-SSTSD	1	0.002
3/32"	212-SSTSD	1	0.004
1/8"	213-SSTSD	1	0.006
3/16"	214-SSTSD	1	0.015

## SIMPLEX WIRE ROPE CLIP

GRADE 304



SIMPLEX WIRE ROPE CLIP

Size	Style Number	PCS/Pack	Weight/PC (LBS)
1/16"	231-SWRC	1	0.011
3/32"	232-SWRC	1	0.013
1/8"	233-SWRC	1	0.024
3/16"	234-SWRC	1	0.033

## DUPLEX WIRE ROPE CLIP

GRADE 304



DUPLEX WIRE ROPE CLIP

Size	Style Number	PCS/Pack	Weight/PC (LBS)
1/16"	241-DWRC	1	0.022
3/32"	242-DWRC	1	0.027
1/8"	243-DWRC	1	0.049
3/16"	244-DWRC	1	0.066